

RECALIBRATION PRICE SCHEDULE

January 1, 2017

INSTRUMENTS

In ohms, except 3312A is in °C

<u>MODEL (S)</u>		<u>MODEL (S)</u>	
4201 & 4201C	\$165.00	4221 & 4221C	\$255.00
4202 & 4202C	\$200.00	4312A	\$205.00
4212 & 4212C	\$200.00	4222C	\$315.00
4101A	\$135.00	3312A	\$205.00
As found only, (6 to 9 points)	\$ 55.00 each point	310 or 410	\$165.00

RTD SENSORS

(ALL MODELS) 100Ω
PLAT.

RANGE 151 -40 to +250°C	\$180.00	RANGE 157 -40 to +500°C	\$275.00
RANGE 152 -100 to +250°C	\$270.00	RANGE 158 100 to +500°C	\$365.00
RANGE 153 -100 to +400°C	\$315.00	RANGE 159 -200 to +500°C	\$435.00
RANGE 154 -40 to +400°C	\$225.00	RANGE 160 -200 to +250°C	\$340.00
RANGE 155 -40 to +400°C	\$270.00	RANGE 161 -200 to +400°C	\$425.00
RANGE 156 -100 to +400°C	\$355.00		
		*RANGE 059 -60 to +300°C	\$215.00
		*For Model 4101A Only	

10% DISCOUNT FOR 3 OR MORE IDENTICAL SENSORS CALIBRATED AT THE SAME TEMPERATURE(S)

-40°C SUPPLIED AS AN EXTRAPOLATION

SENSOR DOCUMENTATION INCLUDES R vs T PRINTOUT AND ITS90 COEFFICIENTS

SYSTEM CHECK

AS FOUND AS LEFT DATA (INSTRUMENT & ONE SENSOR) AT 0 & +100°C	\$75.00
EACH ADDITIONAL SENSOR	\$25.00
EACH ADDITIONAL POSITIVE TEMPERATURE	\$55.00
NEGATIVE TEMPERATURES (-1°C to -70°C) FIRST \$65.00 EA.ADD'L	\$30.00
NEGATIVE TEMPERATURE (-196°C)	\$75.00

Instrulab

THERMISTORS SENSORS

RANGE 031	0 to +70°C	\$160.00
RANGE 030	0 to +100°C	\$155.00
SPOT CALIBRATION (ONE TEMPERATURE).		\$ 50.00

CALIBRATION RESISTOR CARDS

332C (all values)	For 4200 Series	\$155.00
33-0366 (2 resistors)	For Model 3312A	\$180.00
43-0366 (2 resistors)	For Model 4312A	\$180.00

ADDITIONAL INSTRULAB CALIBRATION CAPABILITIES

Instrulab has the capability to calibrate products by other manufacturers

Including:

- Liquid in glass & dial type thermometers and thermistors in the range of -70 to +400°C
- Thermocouples in the range of -200 to +2000°F
- Also Platinum RTD, Thermistor and Thermocouple actuated instruments

For details, call Aaron Hare at 800-241-2241.

NORMAL TURN AROUND TIME IS 2-3 WEEKS

ALL CALIBRATION SUPPLIED WITH "REPORTS OF CALIBRATION" LISTING (WHEN APPLICABLE),
VALUES, TOLERANCES, AND k=2 UNCERTAINTIES
ALL CALIBRATIONS ARE TRACEABLE TO NIST (ITS90)
